'ertifikaat ATENTKANTOOR REPUBLIC OF SOUTH AFRICA

# PCT / 1B 0 2 / 0 0 5 4 1 2 9. 04. 02 Certificate

PATENT OFFICE

REPUBLIEK VAN SUID-AFRIKA

DEPARTMENT OF TRADE AND INDUSTRY

EPARTEMENT VAN HANDEL N NYWERHEID

Hiermee word gesertifiseer dat This is to certify that REC'D 0.8 MAY 2002

the documents annexed hereto are true copies of:

Application forms P.1 and P.3, provisional specification and drawings of South African Patent Application No. 2001/1579 as originally filed in the Republic of South Africa on 26 February 2001 in the name of NIEUWOUDT, GERT JOHANNES VANTAAK for an invention entitled: " CULTIVATION OF PLANTS".

## BEST AVAILABLE COPY

Geteken te PRETORIA in die Rin the S

in die Republiek van Suid-Afrika, hierdie in the Republic of South Africa, this

5th

dag van day of

March 2002

Registrateur van Batente

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

		ייו שו אוויי	200111 W 11107	
REPU OF SOUTH AFRICA	(to be lo	FORM P.1 REV dged in duplicate)	ENUE	
PATE: ACT, 1978 APPI I'ION FOR A PATENT AND ACK: YLEDGEMENT OF RECEIPT	•	26. 2.01	R 060.0	0
RANT OF A PATENT IS HEREBY REQUESTED THE PRESENT APPLICATION F	D BY THE UNDER ILED IN DUPLICA	MENTIONED ARPI	AN SUID AFRIKA	
01 PATENT APPLICATION NO 200	1115/9	A&A REFEIM	1495 LV DW	
71 FULL NAME(S) OF APPLICANT(S)				
	•	•		
NIEUWOUDT, Gert Johannes Van Taak	•			
ADDRESS(ES) OF APPLICANT(S)			•	
The farm Kleinhoek in the district Clanwilliam,	8135, Republic of S	outh Africa.	•	
The farm Kleinhoek in the district Community	•			•
•				
54 TITLE OF INVENTION				
L				
CULTIVATION OF PLANTS  Only the items marked with an "X" in the blocks below an	e applicable.			
Only the items marked with an "X" in the blocks below an THE APPLICANT CLAIMS PRIORITY AS SET OUT ON	THE ACCOMPANYING	FORM P.2. The earliest	priority claimed is	
	No:	Date:		
THE APPLICATION IS FOR A PATENT OF ADDITION	TO PATENT APPLICATION 37	ND BASED ON		
THE APPLICATION IS A FRESH APPLICATION IN THE	ERMS OF SECTION 37 F	IND DIEGO		
APPLICATION NO 21 01				
THIS APPLICATION IS ACCOMPANIED BY:				
X A single copy of a provisional specification of 10 pages				
X Drawings of 2 sheets Publication particulars and abstract (Form P.8 in duplicate)	(for complete only)	Dra-		
A copy of Figure of the drawings (if any) for the abstra	act (for complete only)	DEST	AVAII ADI	
An assignment of invention			AVAILABL	E COPY
Certified priority document(s). (State quantity)				_
Translation of the priority document(s)				
An assignment of priority rights A copy of Form P.2 and the specification of RSA Patent A	Application No	21 01	-	
To Do in duntionto				
P.3				
Request for ante-dating on Form P.4			•	
Request for classification on Form P.9				•
Request for detay of acceptance on Form P.4		•		•
Extra copy of informal drawings (for complete only)				
74 ADDRESS FOR SERVICE: Adams & Adams, Preton	ria			i
Dated this 26 day of February 2001			HE COL:eci	at like
Dated and to the second		COM	MISSIONER OF PA	ENT AMP
, / / .				, ]
1/1 -lt_			2001 -02- 26	
	<del></del>			
ADAMS & ADAMS APPLICANTS PATENT ATTORNEYS		DED	PATENTS OFFICE UBLIC OF SOUTH A	FRICA
110 1 100 100 100 100 100 100 100 100 1		i	1	

REGISTRAR OF PATENTS

40.4 22001

The duplicate will be returned to the applicant's address for service as proof of lodging but is not valid unless endorsed with official stamp

#### FORM P.3

#### REPUBLIC OF SOUTH AFRICA PATENTS ACT, 1978

# DECLARATION AND POWER OF ATTORNEY

	· •	(Sec	tion 30 - Regulation	8, 22(i)(	c) and 33)				
	TO A MICONI NICO	¬ `				LODO	LODGING DATE		
ENT	T APPLICATION NO	- Acc .	V 14495			22	26 February 20	01	
.:1 01	20011579	_]				<u> </u>			
FULL N	IAME(S) OF APPLICANT	(S)				•			
71	•		WOUDT, Gert	lohan	nes Van T	aak			
, -		NIEU	WOODI, Geit	JUHAIN	100 7 411 1				
	TANGE OF INVENTOR	(5)							
FULL	NAME(S) OF INVENTOR	.(3)							
72							_		
<b>!</b> !		NII	EUWOUDT, Ge	rt Joh	annes Var	n Taak	ŕ		
\ <u> </u> _									
	<u> </u>			NILIN	BER.	ī	OATE		
EARLI	EST PRIORITY CLAIME	$\frac{D}{C}$	OUNTRY	<del>                                     </del>	IBER				
)		33	3 -	31	- A of the Peg		32   -		
NOTE: Th	he country must be indicated by i	ts Internation	al Abbreviation - see	schedule	4 of the Reg	uiations			
TITLE	OF INVENTION								
54					•				
34	CUI	TIVATIC	N OF PLANTS	i					
<u> </u>	I/We NIEUWOUDT,	Gert Joha	annes Van Taal	k			CODY	, .	
			,		BEST	- AVAI	LABLE COPY		
	hereby declare that :-								
1.	I/we am/are the app	licant(s) m	entioned above;			_		facto herei	
**	L/we have been autl	orized by	the applicant(s)-(	o make	this declar	ration and	have knowledge of the	<del>applicant(s</del>	
7-1	atain the coposit	V-111							
*** 3.	the inventor(s) of the	e aboveme	ntioned inventio	n is/are	the person	(s) named	above <del>and the applicar</del>	it(5) Itto/Ita	
···· J.									
4.	to the best of my/c	ur knowle	dge and belief, i	f a pate	ent is grant	ed on the	application, there will	00 110 14	
**** 5	this is a convention	application	n and the earliest	applica	tion from the invent	<del>vhich prio</del> i ion claime	rity is claimed as set ou d in any of the claims;	<del>and</del>	
_	first-application in	#-convene	on country in its					ed. iointly a	
6	the partners and qu	alified staf	f of the firm of A	DAMS	to represe	nt the app	attorneys, are authorise licant(s) in this applica g and after a patent has	tion and to	
	severally, with pov	vers of sub vice of the	applicant(s) wh	ile the	application	is pending	g and after a patent has	Occii gian	
	on the application.		•			REG	ISTRAR OF THE COURT	NTS	
	~ ?	∿ DAY O	F SM	res	-0-1		OMMISSIONER OF PATE 2001		
	SIGNED THIS ZS~	2111 0	_				2001 -02- 26		
			0	K			· 2001 -02- 20		
	C. J. W. A	ien	1 mm				PATENTS OFFICE		
•				V	•	1	REPUBLIC OF SOUTH AF	RICA	
	NIEUWOUDT, Gert Joha	nnes van 1	ı aak			<u> </u>	(no legaliza		
				•				and enter car	

For non-convention applications, delete paragraph 5.

In the case of application in the name of a company, partnership or firm, give full names of signatory/signatories, delete paragraph 1, and enter capacity of each signatory in paragraph 2. If the applicant is a natural person, delete paragraph 2. If the applicant is a natural person, delete paragraph 2. If the right to apply is not by virtue of an assignment from the inventor(s), delete "an assignment from the inventor(s)" and give details of acquisition of right.

A & A Ref No: V14495 LVDW

A: AMS & ADAMS
1. TENT ATTORNEYS
PRETORIA

FORM P6

#### REPUBLIC OF SOUTH AFRICA Patents Act, 1978

### PROVISIONAL SPECIFICATION

(Section 30 (1) - Regulation 27)

21 01 OFFICIAL APPLICATION NO 22 LODGING DATE

20011579

26 February 2001

71 FULL NAME(S) OF APPLICANT(S)

NIEUWOUDT, Gert Johannes Van Taak

BEST AVAILABLE COPY

72 FULL NAME(S) OF INVENTOR(S)

NIEUWOUDT, Gert Johannes Van Taak

54 TITLE OF INVENTION

**CULTIVATION OF PLANTS** 

THIS INVENTION relates to cultivation of plants. In particular, it relates to a ground cover for cultivation of plants and to a method of providing anchoring formations for plants.

According to one aspect of the invention, there is provided a ground cover for cultivation of plants, the ground cover including

a membrane strip having a side which in use is an upper side;

anchoring formations on the upper side of the membrane strip for assisting a plant in the vicinity of the ground cover to anchor itself to the ground cover.

The membrane strip may be water impervious and it may be light impervious, at least to some degree, as required. Typically, the membrane strip is of polyethylene material. The membrane strip may be of conventional

agricultural sheeting, e.g. any of the membranes or sheets supplied by Polyon Agricultural Sheeting of Kibbutz Barkai, M.P. Menashe 37860 Israel.

The membrane strip may have a thickness of between about 15  $\mu$ m and about 40  $\mu$ m, typically between about 15  $\mu$ m and about 37  $\mu$ m, e.g. about 20  $\mu$ m.

The membrane strip may have a length of at least 500m, typically at least 1000 m, e.g. about 1000 m.

The membrane strip may have a width of between about 0.5 m and about 2.5 m, typically between about 1 m and about 1.5 m, e.g. about 1,2 m.

The anchoring formations may be defined by a net. The net may be attached, e.g. adhesively attached to the membrane strip at a plurality of spaced locations, allowing the net to be displaceable away from the membrane strip, in areas where the net is not attached to the membrane strip. Typically, the net is attached to the membrane strip along two longitudinally extending zones. Each zone may have a width of between about 2 cm and about 25 cm, typically between about 5 cm and about 15 cm, e.g. about 10 cm. Typically, the longitudinally extending zones are adjacent respective longitudinally extending edges of the membrane strip, leaving a central, longitudinally extending zone of the net displaceable away from the membrane strip.

5

10

d

Apertures defined by the net may be rectangular. Major sides of each rectangular aperture may extend longitudinally relative to the membrane strip.

Each aperture defined by the net may have a length of between about 2.5 cm and about 5 cm, typically between about 3.5 cm and about 4 cm, e.g. about 3,5 cm.

Each aperture defined by the net may have a width of between about 1.5 cm and about 3 cm, typically between about 1.7 cm and about 2.5 cm, e.g. about 2,5 cm.

The net may be of a synthetic plastics or polymeric material, e.g. polyethylene or polypropylene. Preferably, the net is of a material which is UV-stabilized.

The net may be of strands having a thickness of between about 0.2 mm and about 1.5 mm, typically between about 0.3 mm and about 0.5 mm, e.g. about 0.45 mm.

The membrane strip may define at least one aperture therethrough for receiving a plant. Thus, in use, a plant typically grows through the aperture in the membrane strip and anchors itself to the ground cover.

5

10

The membrane strip may define a plurality of longitudinally spaced apertures. The apertures may be equidistantly spaced and may be located on a longitudinally extending centre line of the membrane strip. Although the ground cover may be supplied in the trade with the apertures, it is to be appreciated that it may be more convenient for a user of the ground cover simply to punch or tear holes in the membrane strip in the number and locations required by the user.

The ground cover may be in the form of a roll, comprising a ply consisting of the membrane strip and another ply consisting of the anchoring formations.

10

5

According to another aspect of the invention, there is provided a method for providing anchoring formations for plants, the method including laving a ground cover as hereinbefore described on a strip of

laying a ground cover as notomboroto accombor sit a sumpler

ground; and

securing the ground cover to the ground.

15

Laying the ground cover may include unrolling the membrane strip and the anchoring formations from a roll, comprising a ply of the membrane strip and a ply of the anchoring formations.

Securing the ground cover to the ground may include securing longitudinally extending zones adjacent respective longitudinally extending edges

of the ground cover to the ground. This may be effected by temporarily holding down a portion of an edge on the ground and piling soil onto the held-down portion of the edge.

According to a further aspect of the invention, there is provided a method of providing anchoring formations for plants, the method including laying a membrane strip having a side which in use is an upper

side on a strip of ground;

5

10

.15

laying anchoring formations on the upper side of the membrane strip; and

securing the membrane strip and the anchoring formations to the ground.

The membrane strip and the anchoring formations may be laid on the ground simultaneously, and may be as hereinbefore described.

The method may include providing a roll, comprising a ply of the membrane strip and a ply of anchoring formations, and unrolling the membrane strip and the anchoring formations simultaneously to lay them simultaneously on the ground.

Securing the membrane strip and the anchoring formations to the ground may include securing longitudinally extending zones adjacent respective

longitudinally extending edges of the membrane strip and the anchoring formations to the ground. This may be effected by temporarily holding down a portion of an edge of both of the membrane strip and the anchoring formations and piling soil onto the held-down portions of the edges.

The invention will now be described, by way of example, with reference to the accompanying diagrammatic drawings, in which

Figure 1 shows a three-dimensional view of a portion of a ground cover in accordance with the invention; and

Figure.2 shows a three-dimensional view of the portion of the ground cover of Figure 1, in use.

Referring to the drawings, reference numeral 10 generally indicates a ground cover in accordance with the invention, only a portion of which is shown. The ground cover 10 includes a membrane strip 12 with a side 14 which in use is an upper side, and a net 16, the strands 18 of which define anchoring formations.

The net 16 is located on and covers the upper side 14 of the membrane strip 12. Two longitudinally extending, ten cm wide edge portions of the net 16 are adhesively attached to similar edge portions 17 of the membrane strip 12. Thus, a longitudinally extending central area or zone of the net 16 is not directly attached to the membrane strip 12, but only by means of the edge

5

10

portions. The central area or zone is thus free to move away, at least to a limited extent, from the membrane strip 12, allowing plant tentacles to grow inbetween the net 16 and the membrane strip 12.

The membrane strip 12 is water impervious and light impervious and is of black polyethylene material. It has a thickness of about 20  $\mu$ m, a width of about 1,2 m and a length of about 1000 m.

Rectangular apertures or rectangular blocks 19 defined by the net 16 each has a length of about 3,5 cm and a width of about 2,5 cm. The net 16 is arranged relative to the membrane strip 12 such that the apertures or blocks 19 defined by the net 16 have their shorter sides transverse to the membrane strip 12.

The net 16 is of polyethylene or polypropylene material. A typical example of a suitable net 16 is a net supplied under the trade name Netlon Palnet, available from African Commerce Developing Company (Proprietary) Limited of Dacres Avenue, Epping 2, Eppingdust, Cape Town, Republic of South Africa.

The ground cover 10 is supplied in the form of a two-ply roll (not shown), one ply consisting of the membrane strip 12 and the other ply consisting of the net 16.

5

10

.15

In use, the ground cover 10 is laid on the ground by unrolling the membrane strip 12 and the net 16 from the two-ply roll. Typically, the ground cover 10 is laid over a linearly extending ridge or hump, with a centre line of the ground cover 10 being located on a longitudinally extending centre line of the ridge or hump. Typically, an irrigation pipe or the like (not shown) is located underneath the membrane strip 12 but, as will be appreciated, the exact arrangement may depend on the kind of plants for which the ground cover 10 is intended to be used.

The ground cover 10 may be laid using a conventional machine for the laying of conventional ground covers for the cultivation of plants. Thus, the unrolling membrane strip 12 and net 16 may be temporarily held down by a pair of spaced wheels pressing down on the edge portions 17, whilst ploughshares may throw two rows 20 of soil onto the edge portions 17.

A plurality of apertures (only one of which is shown) is formed in the membrane strip 12, by simply pushing holes through the membrane strip 12. The apertures are typically located on the centre line of the membrane strip 12 and are spaced a desired distance from each other. Plants to be cultivated are then planted, one in each aperture. Typically, the ground cover 10 is used for plants with tentacles, such as watermelon. The plants growing through the apertures find it easy to attach or anchor themselves to the net 16, as shown in Figure 2 of the drawings.

1

5

10

The use of a ground cover, comprising only a membrane strip, is known to the applicant. Membrane strip ground covers have a number of advantages, including that fruit ripens earlier and more evenly, fruit can be harvested over a longer period, and less chemical pest control is required. By also supplying anchoring formations on the upper side of the membrane strip, thereby. assisting cultivated plants to anchor themselves to the ground cover 10, the ground cover 10, as illustrated, also provides the following advantages: due to the anchoring of tentacles of the plant, wind damage to the plant is reduced; plants are less acceptable to fungi, infections and stress when they are less disturbed; immature fruits are not moved about, which reduces abrasions and loss of fruit; natural wind breaks are sufficient to prevent wind damage to the plants and fruit and it is thus not necessary to erect artificial windbreaks, lowering input capital; the net 16 strengthens the membrane strip 12, inhibiting wind damage to the membrane strip 12 and thus allowing thinner membrane strips to be used and use of the ground cover 10 for a second harvest during the same season; and more mature fruit is produced per hectare, leading to higher nett income per hectare.


DATED THIS 26th DAY OF FEBRUARY 2001

ADAMS & ADAMS

APPLICANT'S PATENT ATTORNEYS

5

10



ADAMS & ADAMS APPLICANT'S PATENT ATTORNEYS